

آهن و فولاد لصف ٧٢

CC FEA Code	Description	Suppl. unit of measurement	Rate of import customs duty (as a per cent of the customs value or in euros)
	I. Primary Materials; Products in Granular or Powder Form		
7201	Pig iron and spiegeleisen in pigs, blocks or other primary forms:		
7201 10	- non-alloy pig iron containing by weight 0.5% or less of phosphorus:		
	- - containing by weight not less than 0.4% of manganese:		
7201 10 110 0	- - - containing by weight 1% or less of silicon	-	5
7201 10 190 0	- - - containing by weight more than 1% of silicon	-	5
7201 10 300 0	- - containing by weight not less than 0.1% but less than 0.4% of manganese	-	5
7201 10 900 0	- - containing by weight less than 0.1% of manganese	-	5
7201 20 000 0	- non-alloy pig iron containing by weight more than 0.5% of phosphorus	-	5
7201 50	- alloy pig iron; spiegeleisen:		
7201 50 100 0	- - alloy pig iron containing by weight not less than 0.3% but not more than 1% of titanium and not less than 0.5% but not more than 1% of vanadium	-	5
7201 50 900 0	- - other	-	5
7202	Ferro-alloys:		
	- ferro-manganese:		
7202 11	- - containing by weight more than 2% of carbon:		

7202 11 200 0	- - - with a granulometry not exceeding than 5 mm and a manganese content by weight 65%	-	5
7202 11 800 0	- - - other	-	5
7202 19 000 0	- - other	-	5
	- ferro-silicon:		
7202 21	- - containing by weight more than 55% of silicon:		
7202 21 100 0	- - - containing by weight more than 55% but not more than 80% of silicon	-	5
7202 21 900 0	- - - containing by weight more than 80% of silicon	-	5
7202 29	- - other:		
7202 29 100 0	- - - containing by weight more than 4% but not more than 10% of manganese	-	5
7202 29 900	- - - other	-	5
7202 30 000 0	- ferro-silico-manganese	-	5
	- ferro-chromium:		
7202 41	- - containing by weight more than 4% of carbon:		
7202 41 100 0	- - - containing by weight more than 4% but not more than 6% of carbon	-	5
	- - - containing by weight more than 6% of carbon:		
7202 41 910 0	- - - - containing by weight not more than 60% of chromium	-	5
7202 41 990 0	- - - - containing by weight more than 60% of chromium	-	5
7202 49	- - other:		
7202 49 100 0	- - - containing by weight not more than 0.05% of carbon	-	5
7202 49 500 0	- - - containing by weight more than 0.05% but not more than 0.5% of carbon	-	5
7202 49 900 0	- - - containing by weight more than 0.5% but not more than 4% of carbon	-	5

7202 50 000 0	- ferro-silico-chromium	-	5
7202 60 000 0	- ferro-nickel	-	5
7202 70 000 0	- ferro-molybdenum	-	5
7202 80 000 0	- ferro-tungsten and ferro-silico-tungsten	-	5
	- other:		
7202 91 000 0	- - ferro-titanium and ferro-silico-titanium	-	5
7202 92 000 0	- - ferro-vanadium	-	5
7202 93 000 0	- - ferro-niobium	-	5
7202 99	- - other:		
	- - - ferro-phosphorus:		
7202 99 110 0	- - - - containing by weight more than 3% but less than 15% of phosphorus	-	5
7202 99 190 0	- - - - containing by weight 15% or more of phosphorus	-	5
7202 99 300 0	- - - ferro-silico-magnesium	-	5
7202 99 800 0	- - - other	-	5
7203	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99.94%, in lumps, pellets or similar forms:		
7203 10 000 0	- ferrous products obtained by direct reduction of iron ore	-	5
7203 90 000 0	- other	-	5
7204	Ferrous waste and scrap; remelting scrap ingots of iron or steel:		
7204 10 000 0	- waste and scrap of cast iron	-	5
	- waste and scrap of alloy steel:		
7204 21	- - of stainless steel:		
7204 21 100 0	- - - containing by weight 8% or more of nickel	-	5
7204 21 900 0	- - - other	-	5
7204 29 000 0	- - other	-	5
7204 30 000 0	- waste and scrap of tinned iron	-	5

	or steel		
	- other waste and scrap:		
7204 41	- - turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles:		
7204 41 100 0	- - - turnings, shavings, chips, milling waste, sawdust and filings	-	5
	- - - trimmings and stampings:		
7204 41 910 0	- - - - in bundles	-	5
7204 41 990 0	- - - - other	-	5
7204 49	- - other:		
7204 49 100 0	- - - fragmentized (shredded)	-	5
	- - - other:		
7204 49 300 0	- - - - in bundles	-	5
	- - - - other:		
7204 49 910 0	- - - - - neither sorted or graded	-	5
7204 49 990 0	- - - - - other	-	5
7204 50	- remelting scrap ingots:		
7204 50 100 0	- - of alloy steel	-	5
7204 50 900 0	- - other	-	5
7205	Granules and powders, of pig iron, spiegeleisen, iron or steel:		
7205 10 000 0	- granules	-	5
	- powders:		
7205 21 000 0	- - of alloy steel	-	5
7205 29 000 0	- - other	-	5
	II. Iron and Non-Alloy Steel		
7206	Iron and non-alloy steel in ingots or other primary forms (excluding iron of Heading 7203):		
7206 10 000 0	- ingots	-	5
7206 90 000 0	- other	-	5
7207	Semi-finished products of iron or non-alloy steel:		
	- containing by weight less than 0.25% of carbon:		

7207 11	- - of rectangular (including square) cross-section, the width measuring less than twice the thickness: - - - rolled or obtained by continuous casting:		
7207 11 110 0	- - - - of free-cutting steel - - - - other:	-	5
7207 11 140 0	- - - - - of a thickness not exceeding 130 mm	-	5
7207 11 160 0	- - - - - of a thickness exceeding 130 mm	-	5
7207 11 900 0	- - - forged	-	5
7207 12	- - other, of rectangular (other than square) cross-section:		
7207 12 100 0	- - - rolled or obtained by continuous casting	-	5
7207 12 900 0	- - - forged	-	5
7207 19	- - other: - - - of circular or polygonal cross-section: - - - - rolled or obtained by continuous casting:		
7207 19 110 0	- - - - - of free-cutting steel - - - - - other:	-	5
7207 19 140 0	- - - - - obtained by continuous casting	-	5
7207 19 160 0	- - - - - other	-	5
7207 19 190 0	- - - - forged - - - blanks for angles, shapes and sections:	-	5
7207 19 310 0	- - - - rolled or obtained by continuous casting	-	5
7207 19 390 0	- - - - forged	-	5
7207 19 900 0	- - - other	-	5
7207 20	- containing by weight 0.25% or more of carbon: - - of rectangular (including square) cross-section, the width measuring less than twice the		

	thickness:		
	- - - rolled or obtained by		
	continuous casting:		
7207 20 110 0	- - - - of free-cutting steel	-	5
	- - - - other, containing by		
	weight:		
7207 20 150 0	- - - - 0.25% or more but less	-	5
	than 0.6% of carbon		
7207 20 170 0	- - - - 0.6% or more of carbon	-	5
7207 20 190 0	- - - forged	-	5
	- - other, of rectangular (other		
	than square) cross-section:		
7207 20 320 0	- - - rolled or obtained by	-	5
	continuous casting		
7207 20 390 0	- - - forged	-	5
	- - of circular or polygonal		
	cross-section:		
	- - - rolled or obtained by		
	continuous casting:		
7207 20 510 0	- - - - of free-cutting steel	-	5
	- - - - other:		
7207 20 550 0	- - - - containing by weight	-	5
	0.25% or more but less than 0.6%		
	of carbon		
7207 20 570 0	- - - - containing by weight	-	5
	0.6% or more of carbon		
7207 20 590 0	- - - forged	-	5
	- - blanks for angles, shapes and		
	sections:		
7207 20 710 0	- - - rolled or obtained by	-	5
	continuous casting		
7207 20 790 0	- - - forged	-	5
7207 20 900 0	- - other	-	5
7208	Flat-rolled products of iron or		
	non-alloy steel, of a width of		
	600 mm or more, hot-rolled, not		
	clad, plated or coated:		
7208 10 000 0	- in coils, not further worked	-	5
	than hot-rolled, with patterns in		
	relief		

	- other, in coils, not further worked than hot-rolled, pickled:		
7208 25 000 0	- - of a thickness of 4.75 mm or more	-	5
7208 26 000 0	- - of a thickness of 3 mm or more but less than 4.75 mm	-	5
7208 27 000 0	- - of a thickness of less than 3 mm	-	5
	- other, in coils, not further worked than hot-rolled:		
7208 36 000 0	- - of a thickness exceeding 10 mm	-	5
7208 37	- - of a thickness of 4.75 mm or more but not exceeding 10 mm:		
7208 37 100 0	- - - intended for re-rolling	-	5
7208 37 900 0	- - - other	-	5
7208 38	- - of a thickness of 3 mm or more but less than 4.75 mm:		
7208 38 100 0	- - - intended for re-rolling	-	5
7208 38 900 0	- - - other	-	5
7208 39	- - of a thickness of less than 3 mm:		
7208 39 100 0	- - - intended for re-rolling	-	5
7208 39 900 0	- - - other	-	5
7208 40	- not in coils, not further worked than hot-rolled, with patterns in relief:		
7208 40 100 0	- - of a thickness of 2 mm or more	-	5
7208 40 900 0	- - of a thickness of less than 2 mm	-	5
	- other, not in coils, not further worked than hot-rolled:		
7208 51	- - of a thickness exceeding 10 mm:		
7208 51 100 0	- - - rolled on four faces or in a closed box pass, of a width not exceeding 1.250 mm	-	5
	- - - other, of a thickness:		
7208 51 300 0	- - - - exceeding 20 mm	-	5

7208 51 500 0	- - - - exceeding 15 mm but not exceeding 20 mm	-	5
	- - - - exceeding 10 mm but not exceeding 15 mm, of a width of:		
7208 51 910 0	- - - - 2.050 mm or more	-	5
7208 51 990 0	- - - - less than 2.050 mm	-	5
7208 52	- - other, of a thickness of 4.75 mm or more but not exceeding 10 mm:		
7208 52 100 0	- - - rolled on four faces or in a closed box pass, of a width not exceeding 1.250 mm	-	5
	- - - other, of a width of:		
7208 52 910 0	- - - - 2.050 mm or more	-	5
7208 52 990 0	- - - - less than 2.050 mm	-	5
7208 53	- - of a thickness of 3 mm or more but less than 4.75 mm:		
7208 53 100 0	- - - rolled on four faces or in a closed box pass, of a width not exceeding 1.250 mm and of a thickness of not less than 4 mm	-	5
7208 53 900 0	- - - other	-	5
7208 54	- - of a thickness of less than 3 mm:		
7208 54 100 0	- - - of a thickness of 2 mm or more	-	5
7208 54 900 0	- - - of a thickness of less than 2 mm	-	5
7208 90	- other:		
7208 90 100 0	- - not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	-	5
7208 90 900 0	- - other	-	5
7209	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated:		
	- in coils, not further worked		

	than cold-rolled (cold-reduced):		
7209 15 000 0	- - of a thickness of 3 mm or more	-	5
7209 16	- - of a thickness exceeding 1 mm but less than 3 mm:		
7209 16 100 0	- - - "electrical"	-	5
7209 16 900 0	- - - other	-	5
7209 17	- - of a thickness of 0.5 mm or more but not exceeding 1 mm:		
7209 17 100 0	- - - "electrical"	-	5
7209 17 900 0	- - - other	-	5
7209 18	- - of a thickness of less than 0.5 mm:	-	5
7209 18 100 0	- - - "electrical"	-	5
	- - - other:		
7209 18 910 0	- - - - of a thickness of 0.35 mm or more but less than 0.5 mm	-	5
7209 18 990 0	- - - - of a thickness of less than 0.35 mm	-	5
	- not in coils, not further worked than cold-rolled (cold-reduced):		
7209 25 000 0	- - of a thickness of 3 mm or more	-	5
7209 26	- - of a thickness exceeding 1 mm but less than 3 mm:		
7209 26 100 0	- - - "electrical"	-	5
7209 26 900 0	- - - other	-	5
7209 27	- - of a thickness of 0.5 mm or more but not exceeding 1 mm:		
7209 27 100 0	- - - "electrical"	-	5
7209 27 900 0	- - - other	-	5
7209 28	- - of a thickness of less than 0.5 mm:		
7209 28 100 0	- - - "electrical"	-	5
7209 28 900 0	- - - other	-	5
7209 90	- other:		
7209 90 100 0	- - not further worked than surface-treated or simply cut into shapes other than	-	5

	rectangular (including square)		
7209 90 900 0	- - other	-	5
7210	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:		
	- plated or coated with tin:		
7210 11	- - of a thickness of 0.5 mm or more:		
7210 11 100 0	- - - not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	-	5
7210 11 900 0	- - - other	-	5
7210 12	- - of a thickness of less than 0.5 mm:		
	- - - not further worked than surface-treated or simply cut into shapes other than rectangular (including square):		
7210 12 110 0	- - - - tinplate	-	5
7210 12 190 0	- - - - other	-	5
7210 12 900 0	- - - other	-	5
7210 20	- plated or coated with lead, including terne-plate:		
7210 20 100 0	- - not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	-	5
7210 20 900 0	- - other	-	5
7210 30	- electrolytically plated or coated with zinc:		
7210 30 100 0	- - not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	-	5
7210 30 900 0	- - other	-	5
	- otherwise plated or coated with zinc:		
7210 41	- - corrugated:		

7210 41 100 0	- - - not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	-	5
7210 41 900 0	- - - other	-	5
7210 49	- - other:		
7210 49 100 0	- - - not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	-	5
7210 49 900 0	- - - other	-	5
7210 50	- plated or coated with chromium oxides or with chromium and chromium oxides:		
7210 50 100 0	- - not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	-	5
7210 50 900 0	- - other - plated or coated with aluminium:	-	5
7210 61	- - plated or coated with aluminium-zinc alloys:		
7210 61 100 0	- - - not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	-	5
7210 61 900 0	- - - other	-	5
7210 69	- - other:		
7210 69 100 0	- - - not further worked than surface-treated or simply cut into shapes other than rectangular (including square)	-	5
7210 69 900 0	- - - other	-	5
7210 70	- painted, varnished or coated with plastics: - - not further worked than surface-treated or simply cut into shapes other than rectangular (including square):		

7210 70 310 0	- - - tinplate and products, plated or coated with chromium oxides or with chromium and chromium oxides, varnished	-	5
7210 70 390 0	- - - other	-	5
7210 70 900 0	- - other	-	5
7210 90	- other:		
7210 90 100 0	- - silvered, gilded, platinum-plated or enamelled - - other: - - - not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square):	-	5
7210 90 310 0	- - - - clad	-	5
7210 90 330 0	- - - - tinned and printed	-	5
7210 90 380 0	- - - - other	-	5
7210 90 900 0	- - - other	-	5
7211	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated: - not further worked than hot-rolled:		
7211 13 000 0	- - rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	-	5
7211 14	- - other, of a thickness of 4.75 mm or more:		
7211 14 100 0	- - - of a width exceeding 500 mm	-	5
7211 14 900 0	- - - of a width not exceeding 500 mm	-	5
7211 19	- - other:		
7211 19 200 0	- - - of a width exceeding 500 mm	-	5
7211 19 900 0	- - - of a width not exceeding 500 mm	-	5

	- not further worked than cold-rolled (cold-reduced):		
7211 23	- - containing by weight less than 0.25% of carbon:		
7211 23 100 0	- - - of a width exceeding 500 mm	-	5
	- - - of a width not exceeding 500 mm:		
7211 23 510 0	- - - - in coils intended for the manufacture of tinfoil	-	5
	- - - - other:		
7211 23 910 0	- - - - - "electrical"	-	5
7211 23 990 0	- - - - - other	-	5
7211 29	- - other:		
7211 29 200 0	- - - of a width exceeding 500 mm	-	5
	- - - of a width not exceeding 500 mm:		
7211 29 500 0	- - - - containing by weight 0.25% or more but less than 0.6% of carbon	-	5
7211 29 900 0	- - - - containing by weight 0.6% or more of carbon	-	5
7211 90	- other:		
	- - of a width exceeding 500 mm:		
7211 90 110 0	- - - not further worked than surface-treated	-	5
7211 90 190 0	- - - other	-	5
7211 90 900 0	- - of a width not exceeding 500 mm	-	5
7212	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:		
7212 10	- plated or coated with tin:		
7212 10 100 0	- - tinfoil, not further worked than surface-treated	-	5
	- - other:		
	- - - of a width exceeding 500 mm:		
7212 10 910 0	- - - - not further worked than surface-treated	-	5

7212 10 930 0	- - - - other	-	5
7212 10 990 0	- - - of a width not exceeding 500 mm	-	5
7212 20	- electrolytically plated or coated with zinc:		
	- - of a width exceeding 500 mm:		
7212 20 110 0	- - - not further worked than surface-treated	-	5
7212 20 190 0	- - - other	-	5
7212 20 900 0	- - of a width not exceeding 500 mm	-	5
7212 30	- otherwise plated or coated with zinc:		
	- - of a width exceeding 500 mm:		
7212 30 110 0	- - - not further worked than surface-treated	-	5
7212 30 190 0	- - - other	-	5
7212 30 900 0	- - of a width not exceeding 500 mm	-	5
7212 40	- painted, varnished or coated with plastics:		
	- - tinfoil, not further worked than varnished		
7212 40 100 0	- - other:		
	- - - of a width exceeding 500 mm:		
7212 40 910 0	- - - - not further worked than surface-treated	-	5
7212 40 930 0	- - - - other	-	5
	- - - of a width not exceeding 500 mm:		
7212 40 950 0	- - - - plated or coated with chromium oxides or with chromium and chromium oxides, varnished	-	5
7212 40 980 0	- - - - other	-	5
7212 50	- otherwise plated or coated:		
	- - of a width exceeding 500 mm:		
7212 50 100 0	- - - silvered, gilded, platinum-plated or enamelled	-	5
	- - - other:		

	- - - - not further worked than surface-treated:		
7212 50 310 0	- - - - lead-coated	-	5
7212 50 510 0	- - - - other	-	5
7212 50 580 0	- - - - other	-	5
	- - of a width not exceeding 500 mm:		
7212 50 750 0	- - - plated or coated with copper	-	5
7212 50 910 0	- - - plated or coated with chromium or nickel	-	5
	- - - plated or coated with aluminium:		
7212 50 930 0	- - - - plated or coated with aluminium-zinc alloys	-	5
7212 50 970 0	- - - - other	-	5
7212 50 990 0	- - - other	-	5
7212 60	- clad:		
	- - of a width exceeding 500 mm:		
7212 60 110 0	- - - not further worked than surface-treated	-	5
7212 60 190 0	- - - other	-	5
	- - of a width not exceeding 500 mm:		
	- - - not further worked than surface-treated:		
7212 60 910 0	- - - - hot-rolled, not further worked than clad	-	5
7212 60 930 0	- - - - other	-	5
7212 60 990 0	- - - other	-	5
7213	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel:		
7213 10 000 0	- containing indentations, ribs, grooves or other deformations produced during the rolling process	-	5
7213 20 000 0	- other, of free-cutting steel	-	5
	- other:		
7213 91	- - of circular cross-section		

	measuring less than 14 mm in diameter:		
7213 91 100 0	- - - of type used for concrete reinforcement	-	5
7213 91 200 0	- - - of a type used for tyre cord	-	5
	- - - other:		
7213 91 410 0	- - - - containing by weight 0.06% or less of carbon	-	5
7213 91 490 0	- - - - containing by weight more than 0.06% but less than 0.25% of carbon	-	5
7213 91 700 0	- - - - containing by weight 0.25% or more but not more than 0.75% of carbon	-	5
7213 91 900 0	- - - - containing by weight more than 0.75% of carbon	-	5
7213 99	- - other:		
7213 99 100 0	- - - containing by weight less than 0.25% of carbon	-	5
7213 99 900 0	- - - containing by weight 0.25% or more of carbon	-	5
7214	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded but including those twisted after rolling:		
7214 10 000 0	- forged	-	5
7214 20 000 0	- containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling	-	5
7214 30 000 0	- other, of free-cutting steel	-	5
	- other:		
7214 91	- - of rectangular (other than square) cross-section:		
7214 91 100 0	- - - containing by weight less than 0.25% of carbon	-	5
7214 91 900 0	- - - containing by weight 0.25%	-	5

	or more of carbon		
7214 99	- - other:		
	- - - containing by weight less than 0.25% of carbon:		
7214 99 100 0	- - - - of type used for concrete reinforcement	-	5
	- - - - other, of circular cross-section measuring in diameter:		
7214 99 310 0	- - - - - 80 mm or more	-	5
7214 99 390 0	- - - - - less than 80 mm	-	5
7214 99 500 0	- - - - other	-	5
	- - - containing by weight 0.25% or more but less than 0.6% of carbon:		
	- - - - of a circular cross-section measuring in diameter:		
7214 99 610 0	- - - - - 80 mm or more	-	5
7214 99 690 0	- - - - - less than 80 mm	-	5
7214 99 800 0	- - - - other	-	5
7214 99 900 0	- - - other, containing by weight 0.6% or more of carbon	-	5
7215	Other bars and rods of iron or non-alloy steel:		
7215 10 000 0	- of free-cutting steel, not further worked than cold-formed or cold-finished	-	5
7215 50	- other, not further worked than cold-formed or cold-finished:		
	- - containing by weight less than 0.25% of carbon:		
7215 50 110 0	- - - of rectangular (other than square) cross-section	-	5
7215 50 190 0	- - - other	-	5
7215 50 300 0	- - containing by weight 0.25% or more but less than 0.6% of carbon	-	5
7215 50 900 0	- - containing by weight 0.6% or more of carbon	-	5

7215 90	- other:		
7215 90 100 0	- - hot-rolled, hot-drawn or extruded, not further worked than clad	-	5
7215 90 900 0	- - other	-	5
7216	Angles, shapes, and sections of iron or non-alloy steel:		
7216 10 000 0	- U, I, or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm - L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:	-	5
7216 21 000 0	- - L sections	-	5
7216 22 000 0	- - T sections - U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:	-	5
7216 31	- - U sections: - - - of a height of 80 mm or more but not exceeding 220 mm:		
7216 31 110 0	- - - - with parallel flange faces	-	5
7216 31 190 0	- - - - other - - - of a height exceeding 220 mm:	-	5
7216 31 910 0	- - - - with parallel flange faces	-	5
7216 31 990 0	- - - - other	-	5
7216 32	- - I sections: - - - of a height of 80 mm or more but not exceeding 220 mm:		
7216 32 110 0	- - - - with parallel flange faces	-	5
7216 32 190 0	- - - - other - - - of a height exceeding 220 mm:	-	5

7216 32 910 0	- - - - with parallel flange faces	-	5
7216 32 990 0	- - - - other	-	5
7216 33	- - H sections:		
7216 33 100 0	- - - of a height of 80 mm or more but not exceeding 180 mm	-	5
7216 33 900 0	- - - of a height exceeding 180 mm	-	5
7216 40	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:		
7216 40 100 0	- - L sections	-	5
7216 40 900 0	- - T sections	-	5
7216 50	- other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded:		
7216 50 100 0	- - with a cross-section which is capable of being enclosed in a square the side of which is 80 mm - - other:	-	5
7216 50 910 0	- - - bulb flats	-	5
7216 50 990 0	- - - other - angles, shapes and sections, not further worked than cold-formed or cold-finished:	-	5
7216 61	- - obtained from flat-rolled products:		
7216 61 100 0	- - - C, L, U, Z, omega or open-ended sections	-	5
7216 61 900 0	- - - other	-	5
7216 69 000 0	- - other - other:	-	5
7216 91	- - cold-formed or cold-finished from flat-rolled products:		
7216 91 100 0	- - - profiled (ribbed) sheets - - - other: - - - - plated or coated with zinc, of a thickness of:	-	5

7216 91 300 0	- - - - less than 2.5 mm	-	5
7216 91 500 0	- - - - 2.5 mm or more	-	5
7216 91 900 0	- - - - other	-	5
7216 99	- - other:		
7216 99 100 0	- - - hot-rolled, hot-drawn or extruded, not further worked than clad	-	5
7216 99 900 0	- - - other	-	5
7217	Wire of iron or non-alloy steel:		
7217 10	- not plated or coated, whether or not polished:		
	- - containing by weight less than 0.25% of carbon:		
7217 10 100 0	- - - with maximum cross-sectional dimension of less than 0.8 mm	-	5
	- - - with maximum cross-sectional dimension of 0.8 mm or more:		
7217 10 310 0	- - - - containing indentations, ribs, grooves or other deformations produced during the rolling process	-	5
7217 10 390 0	- - - - other	-	5
7217 10 500 0	- - containing by weight 0.25% or more but less than 0.6% of carbon	-	5
7217 10 900 0	- - containing by weight 0.6% or more of carbon	-	5
7217 20	- plated or coated with zinc:		
	- - containing by weight less than 0.25% of carbon:		
7217 20 100 0	- - - with maximum cross-sectional dimension of less than 0.8 mm	-	5
7217 20 300 0	- - - with maximum cross-sectional dimension of 0.8 mm or more	-	5
7217 20 500 0	- - containing by weight 0.25% or more but less than 0.6% of carbon	-	5

7217 20 900 0	- - containing by weight 0.6% or more of carbon	-	5
7217 30	- plated or coated with other base metals:		
	- - containing by weight less than 0.25% of carbon:		
	- - - with maximum cross-sectional dimension of less than 0.8 mm:		
7217 30 110 0	- - - - copper-coated	-	5
7217 30 190 0	- - - - other	-	5
	- - - with maximum cross-sectional dimension of 0.8 mm or more:		
7217 30 310 0	- - - - copper-coated	-	5
7217 30 390 0	- - - - other	-	5
7217 30 500 0	- - containing by weight 0.25% or more but less than 0.6% of carbon	-	5
7217 30 900 0	- - containing by weight 0.6% or more of carbon	-	5
7217 90	- other:		
	- - containing by weight less than 0.25% of carbon:		
7217 90 100 0	- - - with maximum cross-sectional dimension of less than 0.8 mm	-	5
7217 90 300 0	- - - with maximum cross-sectional dimension of 0.8 mm or more	-	5
7217 90 500 0	- - containing by weight 0.25% or more but less than 0.6% of carbon	-	5
7217 90 900 0	- - containing by weight 0.6% or more of carbon	-	5
	III. Stainless Steel		
7218	Stainless steel in ingots or other primary forms; semi-finished products of stainless steel:		
7218 10 000 0	- ingots and other primary forms	-	5

	- other:		
7218 91	- - of rectangular (other than square) cross-section:		
	- - - rolled or obtained by continuous casting:		
7218 91 110 0	- - - - containing by weight 2.5% or more of nickel	-	5
7218 91 190 0	- - - - containing by weight less than 2.5% of nickel	-	5
7218 91 900 0	- - - forged	-	5
7218 99	- - other:		
	- - - of square cross-section:		
7218 99 110 0	- - - - rolled or obtained by continuous casting	-	5
7218 99 190 0	- - - - forged	-	5
	- - - other:		
7218 99 200 0	- - - - rolled or obtained by continuous casting	-	5
	- - - - forged:		
7218 99 910 0	- - - - - of circular or polygonal cross-section	-	5
7218 99 990 0	- - - - - other	-	5
7219	Flat-rolled products of stainless steel, of a width of 600 mm or more:		
	- not further worked than hot-rolled, in coils:		
7219 11 000 0	- - of a thickness exceeding 10 mm	-	5
7219 12	- - of a thickness of 4.75 mm or more but not exceeding 10 mm:		
7219 12 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7219 12 900 0	- - - containing by weight less than 2.5% of nickel	-	5
7219 13	- - of a thickness of 3 mm or more but less than 4.75 mm:		
7219 13 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7219 13 900 0	- - - containing by weight less	-	5

	than 2.5% of nickel		
7219 14	- - of a thickness of less than 3 mm:		
7219 14 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7219 14 900 0	- - - containing by weight less than 2.5% of nickel - not further worked than hot-rolled, not in coils:	-	5
7219 21	- - of a thickness exceeding 10 mm:		
7219 21 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7219 21 900 0	- - - containing by weight less than 2.5% of nickel	-	5
7219 22	- - of a thickness of 4.75 mm or more but not exceeding 10 mm:		
7219 22 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7219 22 900 0	- - - containing by weight less than 2.5% of nickel	-	5
7219 23 000 0	- - of a thickness of 3 mm or more but less than 4.75 mm	-	5
7219 24 000 0	- - of a thickness of less than 3 mm - not further worked than cold-rolled (cold-reduced):		
7219 31 000 0	- - of a thickness of 4.75 mm or more	-	5
7219 32	- - of a thickness of 3 mm or more but less than 4.75 mm:		
7219 32 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7219 32 900 0	- - - containing by weight less than 2.5% of nickel	-	5
7219 33	- - of a thickness exceeding 1 mm but less than 3 mm:		
7219 33 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7219 33 900 0	- - - containing by weight less	-	5

	than 2.5 % of nickel		
7219 34	- - of a thickness of 0.5 mm or more but not exceeding 1 mm:		
7219 34 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7219 34 900 0	- - - containing by weight less than 2.5% of nickel	-	5
7219 35	- - of a thickness of less than 0.5 mm:		
7219 35 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7219 35 900 0	- - - containing by weight less than 2.5% of nickel	-	5
7219 90	- other:		
7219 90 100 0	- - not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)	-	5
7219 90 900 0	- - other	-	5
7220	Flat-rolled products of stainless steel, of a width of less than 600 mm:		
	- not further worked than hot-rolled:		
7220 11 000 0	- - of a thickness of 4.75 mm or more	-	5
7220 12 000 0	- - of a thickness of less than 4.75 mm	-	5
7220 20	- not further worked than cold-rolled (cold-reduced):		
7220 20 100 0	- - of a width exceeding 500 mm - - of a width not exceeding 500 mm:	-	5
	- - - of a thickness of 3 mm or more containing by weight:		
7220 20 310 0	- - - - 2.5% or more of nickel	-	5
7220 20 390 0	- - - - less than 2.5% of nickel - - - of a thickness exceeding 0.35 mm but less than 3 mm,	-	5

	containing by weight:		
7220 20 510 0	- - - - 2.5% or more of nickel	-	5
7220 20 590 0	- - - - less than 2.5% of nickel	-	5
	- - - of a thickness not exceeding 0.35 mm, containing by weight:		
7220 20 910 0	- - - - 2.5% or more of nickel	-	5
7220 20 990 0	- - - - less than 2.5% of nickel	-	5
7220 90	- other:		
	- - of a width exceeding 500 mm:		
7220 90 110 0	- - - not further worked than surface-treated, including cladding	-	5
7220 90 190 0	- - - other	-	5
	- - of a width not exceeding 500 mm:		
	- - - not further worked than surface-treated, including cladding:		
7220 90 310 0	- - - - hot-rolled, not further worked than clad	-	5
7220 90 390 0	- - - - other	-	5
7220 90 900 0	- - - other	-	5
7221 00	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel:		
7221 00 100 0	- containing by weight 2.5% or more of nickel	-	5
7221 00 900 0	- containing by weight less than 2.5% of nickel	-	5
7222	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:		
	- bars and rods, not further worked than hot-rolled, hot-drawn or extruded:		
7222 11	- - of circular cross-section:		
	- - - of a diameter of 80 mm or more, containing by weight:		
7222 11 110 0	- - - - 2.5% or more of nickel	-	5

7222 11 190 0	- - - - less than 2.5% of nickel - - - of a diameter of 25 mm or more but less than 80 mm, containing by weight:	-	5
7222 11 210 0	- - - - 2.5% or more of nickel	-	5
7222 11 290 0	- - - - less than 2.5% of nickel - - - of a diameter of less than 25 mm, containing by weight:	-	5
7222 11 910 0	- - - - 2.5% or more of nickel	-	5
7222 11 990 0	- - - - less than 2.5% of nickel	-	5
7222 19	- - other:		
7222 19 100 0	- - - containing by weight 2.5% or more of nickel	-	5
7222 19 900 0	- - - containing by weight less than 2.5% of nickel	-	5
7222 20	- bars and rods, not further worked than cold-formed or cold-finished: - - of a circular cross-section: - - - of a diameter of 80 mm or more, containing by weight:		
7222 20 110 0	- - - - 2.5% or more of nickel	-	5
7222 20 190 0	- - - - less than 2.5% of nickel - - - of a diameter of 25 mm or more but less than 80 mm, containing by weight:	-	5
7222 20 210 0	- - - - 2.5% or more of nickel	-	5
7222 20 290 0	- - - - less than 2.5% of nickel - - - of a diameter of less than 25 mm, containing by weight:	-	5
7222 20 310 0	- - - - 2.5% or more of nickel	-	5
7222 20 390 0	- - - - less than 2.5% of nickel - - other, containing by weight:	-	5
7222 20 810 0	- - - 2.5% or more of nickel	-	5
7222 20 890 0	- - - less than 2.5% of nickel	-	5
7222 30	- other bars and rods:		
7222 30 100 0	- - hot-rolled, hot-drawn or extruded, not further worked than clad - - forged, containing by weight:	-	5

7222 30 510 0	- - - 2.5% or more of nickel	-	5
7222 30 910 0	- - - less than 2.5% of nickel	-	5
7222 30 980 0	- - other	-	5
7222 40	- angles, shapes and sections:		
7222 40 100 0	- - not further worked than hot-rolled, hot-drawn or extruded	-	5
	- - other:		
7222 40 300 0	- - - hot-rolled, hot-drawn or extruded, not further worked than clad	-	5
	- - - other:		
	- - - - not further worked than cold-formed or cold-finished:		
7222 40 910 0	- - - - - obtained from flat-rolled products	-	5
7222 40 930 0	- - - - - other	-	5
7222 40 990 0	- - - - other	-	5
7223 00	Wire of stainless steel:		
	- containing by weight 2.5% or more of nickel:		
7223 00 110 0	- - containing by weight 28% or more but not more than 31% of nickel and 20% or more but not more than 22% of chromium	-	5
7223 00 190 0	- - other	-	5
	- containing by weight less than 2.5% of nickel:		
7223 00 910 0	- - containing by weight 13% or more but not more than 25% of chromium and 3.5% or more but not more than 6% of aluminium	-	5
7223 00 990 0	- - other	-	5
	IV. Other Alloy Steel; Hollow Drill Bars and Rods, of Alloy or Non-Alloy Steel		
7224	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel:		

7224 10 000 0	- ingots and other primary forms	-	5
7224 90	- other:		
	- - of rectangular (including square) cross-section:		
	- - - hot-rolled or obtained by continuous casting:		
	- - - - the width measuring less than twice the thickness:		
7224 90 010 0	- - - - of high-speed steel	-	5
7224 90 050 0	- - - - containing by weight not more than 0.7% of carbon, 0.5% or more but not more than 1.2% of manganese and 0.6% or more but not more than 2.3% of silicon; containing by weight 0.0008% or more of boron with any other elements less than the minimum content referred to in Note 1f to this Chapter	-	5
7224 90 080 0	- - - - other	-	5
7224 90 150 0	- - - - other	-	5
7224 90 190 0	- - - forged	-	5
	- - other:		
	- - - hot-rolled or obtained by continuous casting:		
7224 90 310 0	- - - - containing by weight not less than 0.9% but not more than 1.15% of carbon, not less than 0.5% but not more than 2% of chromium, and, if present, not more than 0.5% of molybdenum	-	5
7224 90 390 0	- - - - other	-	5
	- - - forged:		
7224 90 910 0	- - - - of circular or polygonal cross-section	-	5
7224 90 990 0	- - - - other	-	5
7225	Flat-rolled products of other alloy steel, of a width of 600 mm or more:		
	- of silicon-electrical steel:		

7225 11 000 0	- - grain-oriented	-	5
7225 19	- - other:		
7225 19 100 0	- - - hot-rolled	-	5
7225 19 900 0	- - - cold-rolled	-	5
7225 20	- of high speed steel:		
7225 20 200 0	- - not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)	-	5
7225 20 900 0	- - other	-	5
7225 30 000 0	- other, not further worked than hot-rolled, in coils	-	5
7225 40	- other, not further worked than hot-rolled, not in coils:		
7225 40 200 0	- - of a thickness exceeding 15 mm	-	5
7225 40 500 0	- - of a thickness of 4.75 mm or more but not exceeding 15 mm	-	5
7225 40 800 0	- - of a thickness of less than 4.75 mm	-	5
7225 50 000 0	- other, not further worked than cold-rolled (cold-reduced) - other:	-	5
7225 91	- - electrolytically plated or coated with zinc:		
7225 91 100 0	- - - not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)	-	5
7225 91 900 0	- - - other	-	5
7225 92	- - otherwise plated or coated with zinc:		
7225 92 100 0	- - - not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)	-	5

7225 92 900 0	- - - other	-	5
7225 99	- - other:		
7225 99 100 0	- - - not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)	-	5
7225 99 900 0	- - - other	-	5
7226	Flat-rolled products of other alloy steel, of a width of less than 600 mm:		
	- of silicon-electrical steel:		
7226 11	- - grain-oriented:		
7226 11 100 0	- - - of a width exceeding 500 mm	-	5
7226 11 900 0	- - - of a width not exceeding 500 mm	-	5
7226 19	- - other:		
7226 19 100 0	- - - not further worked than hot-rolled	-	5
	- - - other:		
7226 19 300 0	- - - - of a width exceeding 500 mm	-	5
7226 19 900 0	- - - - of a width not exceeding 500 mm	-	5
7226 20	- of high speed steel:		
7226 20 200 0	- - not further worked than hot-rolled; of a width not exceeding 500 mm, hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than cold-rolled (cold-reduced) or not further worked than surface-treated, including cladding	-	5
7226 20 800 0	- - other	-	5
	- other:		
7226 91	- - not further worked than hot-rolled:		
7226 91 100 0	- - - of a thickness of 4.75 mm or more	-	5

7226 91 900 0	- - - of a thickness of less than 4.75 mm	-	5
7226 92	- - not further worked than cold-rolled (cold-reduced):		
7226 92 100 0	- - - of a width exceeding 500 mm	-	5
7226 92 900 0	- - - of a width not exceeding 500 mm	-	5
7226 93	- - electrolytically plated or coated with zinc:		
7226 93 200 0	- - - of a width not exceeding 500 mm hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than surface-treated, including cladding	-	5
7226 93 800 0	- - - other	-	5
7226 94	- - otherwise plated or coated with zinc:		
7226 94 200 0	- - - of a width not exceeding 500 mm hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than surface-treated, including cladding	-	5
7226 94 800 0	- - - other	-	5
7226 99	- - other:		
7226 99 200 0	- - - of a width not exceeding 500 mm hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than surface-treated, including cladding	-	5
7226 99 800 0	- - - other	-	5
7227	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel:		
7227 10 000 0	- of high-speed steel	-	5
7227 20 000 0	- of silico-manganese steel	-	5
7227 90	- other:		
7227 90 100 0	- - containing by weight 0.0008%	-	5

	or more of boron with any other element less than the minimum content referred to in Note 1f to this Chapter		
7227 90 500 0	- - containing by weight 0.9% or more but not more than 1.15% of carbon, 0.5% or more but not more than 2% of chromium, and, if present, not more than 0.5% of molybdenum	-	5
7227 90 950 0	- - other	-	5
7228	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:		
7228 10	- bars and rods, of high-speed steel:		
7228 10 100 0	- - not further worked than hot-rolled, hot-drawn or extruded	-	5
	- - other:		
7228 10 300 0	- - - hot-rolled, hot-drawn, or extruded, not further worked than clad	-	5
7228 10 500 0	- - - forged	-	5
7228 10 900 0	- - - other	-	5
7228 20	- bars and rods, of silico-manganese steel:		
	- - not further worked than hot-rolled, hot-drawn, or extruded:		
7228 20 110 0	- - - of rectangular (other than square) cross-section, rolled on four faces	-	5
7228 20 190 0	- - - other	-	5
	- - other:		
7228 20 300 0	- - - hot-rolled, hot-drawn or extruded, not further worked than clad	-	5

7228 20 600 0	- - - other	-	5
7228 30	- other bars and rods, not further worked than hot-rolled, hot-drawn or extruded:		
7228 30 200 0	- - of tool steel	-	5
	- - containing by weight 0.9% or more but not more than 1.15% of carbon, 0.5% or more but not more than 2% of chromium, and, if present, not more than 0.5% of molybdenum:		
7228 30 410 0	- - - of circular cross-section of a diameter of 80 mm or more	-	5
7228 30 490 0	- - - other	-	5
	- - other:		
	- - - of circular cross-section of a diameter of:		
7228 30 610 0	- - - - 80 mm or more	-	5
7228 30 690 0	- - - - less than 80 mm	-	5
7228 30 700 0	- - - of rectangular (other than square) cross-section, rolled on four faces	-	5
7228 30 890 0	- - - other	-	5
7228 40	- other bars and rods, not further worked than forged:		
7228 40 100 0	- - of tool steel	-	5
7228 40 900 0	- - other	-	5
7228 50	- other bars and rods, not further worked than cold-formed or cold-finished:		
7228 50 200 0	- - of tool steel	-	5
7228 50 400 0	- - containing by weight 0.9% or more but not more than 1.15% of carbon, 0.5% or more but not more than 2% of chromium, and, if present, not more than 0.5% of molybdenum	-	5
	- - other:		
	- - - of circular cross-section, of a diameter of:		

7228 50 610 0	- - - - 80 mm or more	-	5
7228 50 690 0	- - - - less than 80 mm	-	5
7228 50 700 0	- - - of rectangular (other than square) cross-section, rolled on four faces	-	5
7228 50 890 0	- - - other	-	5
7228 60	- other bars and rods:		
7228 60 100 0	- - hot-rolled, hot-drawn or extruded, not further worked than clad	-	5
	- - other:		
7228 60 810 0	- - - of tool steel	-	5
7228 60 890 0	- - - other	-	5
7228 70	- angles, shapes and sections:		
7228 70 100 0	- - not further worked than hot-rolled, hot-drawn or extruded	-	5
	- - other:		
7228 70 310 0	- - - hot-rolled, hot-drawn or extruded, not further worked than clad	-	5
	- - - other:		
7228 70 910 0	- - - - not further worked than cold-formed or cold-finished	-	5
7228 70 990 0	- - - - other	-	5
7228 80	- hollow drill bars and rods:		
7228 80 100 0	- - of alloy steel	-	5
7228 80 900 0	- - of non-alloy steel	-	5
7229	Wire of other alloy steel:		
7229 10 000 0	- of high-speed steel	-	5
7229 20 000 0	- of silico-manganese steel	-	5
7229 90	- other:		
7229 90 500 0	- - containing by weight 0.9% more but not more than 1.15% of carbon, 0.5% or more but not more than 2% of chromium, and, if present, not more than 0.5% of molybdenum	-	5
7229 90 900 0	- - other	-	5